## Secure Stack PRO Series and CIX Design and Quote Request Submittal Form

This is an interactive PDF form / type in the shaded area / check mark beside your request(s) / print and save as a project name PDF

PROJECT NAME:

**COMPANY:** 

**CONTACT:** 

TEL:

**EMAIL:** 



Please check appropriate boxes	USA	CANADA	QUOTE	RE	VISION	CAD & BOM	
1 Provide a sketch of your system			7 Barometric Damper Required				
Plan View Elevation View				YES NO			
Include Centerline dimension	s and Special instru	ctions / obsta	acles				
2 What is the application?			8 ALL dimensi	8 ALL dimensional information to be shown on sketch			
Boiler	Grease Duct		Show infor	Show information on sketch			
Water Heater	Coffee Roaster		Wherever	Wherever possible please provide C/L to C/L dimensions			
GENERATOR	Exhaust						
Air Handler Unit	Particle Contain	ment	9 GENERAT	9 GENERATOR Exhaust Information			
Kiln	Dryer vent		CFM	CFM			
Paint Booth	Other:	Other: Flue Gas Temperature					
Fuel Type			Allowable	Allowable Back-Pressure			
Natural Gas	Oil #2		Outlet Diar	Outlet Diameter			
LP Gas	Other	Other Termination Type					
4 Required Appliance Information			Ambient To	Ambient Temperature			
BTU Input			Pressure D	op through	Silencer (Muf	fler)	
Boiler HP	Boiler HP			Altitude			
Appliance Make			Other Pres	sure Drop			
Model #							
Web Site			10 GENERATOR SIZING (information above required)				
5 Is the application				YES			
Positive Pressure Atmospheric		NO - not at this time					
6 Appliance Outlet and Loca	tion		11 BOILER AP	PLIANCE SIZ	ING (informa	tion required)	
Collar	Back	**Mechanical room drawings WITHOUT DIMENSIONS WILL NOT BE ACCEPT					
Flanged	Тор		Do you require the SIZING for this system?				
ANSI	Other		YES				
Other				NO - n	ot at this ti	me	
SELECT YOUR POSITIVE PRES		SELECT GREASE DUCT "0" CLEAR - CIX3Z					
CIX-PRO		Flue	Casing				
CAX1	1" - air	304	304	Liste	ed to UL-2221	(2-hour rating) and UL-1978	
CIX1	1" - insulated	316	441	SCI	L Sir	ngle Wall Grease Duct	
CIX2	2" - insulated		Galvalume				

4" - insulated

304

304

316

316

304

316

Galvalume

CIX4

Positive Pressure Liner

Positive Pressure 2" insulated

Galvalume

"0" Clear Grease Duct

304

441

Casing

CIX3Z

Flue

304


441

316

## Secure Stack PRO Series and CIX Design and Quote Request Submittal Form

This is an interactive PDF form / type in the shaded area





## Secure Stack PRO Series and CIX Design and Quote Request Submittal Form

This is an interactive PDF form / type in the shaded area



